

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: Nonresponsive based on revised scope @westonsolutions.com]; Nonresponsive based on revised scope @westonsolutions.com]; Nonresponsive based on revised scope @epa.gov]; Nonresponsive based on revised scope @epa.gov]

From: Nonresponsive based on revised scope /O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C7EDFADEB7E14594B861A8AE389F6817 Nonresponsive based on revised scope
Sent: Fri 9/21/2018 8:06:05 PM (UTC)
Subject: Case# 47768, SDG# MC0X12 - Validated Data for Shiloh Church Road Site
[47768 MC0X12 ltr.pdf](#)
[47768 MC0X12 DVR.pdf](#)
[47768 MC0X12 SSR.pdf](#)
[EQuls 1 47768 MC0X12 VAL.xls](#)
[EQuls 2 47768 MC0X12 VAL.xls](#)
[EQuls 3 47768 MC0X12 VAL.xls](#)
[EQuls 47768 MC0X12 VAL.xls](#)

Christine Wagner
US EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

Christine,

Attached to this message you will find electronic files containing the validation report and validated data for Shiloh Church Road Site, Case# 47768, SDG# MC0X12. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Nonresponsive based on revised scope by phone at Nonresponsive based on revised scope or e-mail at Nonresponsive based on revised scope @epa.gov if additional assistance is needed.

TO # 0002 TDF # 0818098



Nonresponsive based on revised scope Research Technician Nonresponsive based on revised scope @epa.gov

ICF | 701 Mapes Road, Fort Meade, MD 20755-5350